

# PINE / SPRUCE OFFER (KARELIA, RUSSIA)



BALTIC MADERA

thickness ( mm )	width ( mm )	length ( mm )	species	specification
22	100	3000	pine / spruce	humidity 16-18%
22	125	3000	pine / spruce	humidity 16-18%
22	150	3000	pine / spruce	humidity 16-18%
22	100	4000	pine / spruce	humidity 16-18%
22	125	4000	pine / spruce	humidity 16-18%
22	150	4000	pine / spruce	humidity 16-18%
22	100	6000	pine / spruce	humidity 16-18%
22	125	6000	pine / spruce	humidity 16-18%
22	150	6000	pine / spruce	humidity 16-18%

40	100	4200	pine / spruce	humidity 16-18%
40	125	4200	pine / spruce	humidity 16-18%
40	150	4200	pine / spruce	humidity 16-18%
40	175	4200	pine / spruce	humidity 16-18%
40	200	4200	pine / spruce	humidity 16-18%
40	225	4200	pine / spruce	humidity 16-18%
40	100	6000	pine / spruce	humidity 16-18%
40	125	6000	pine / spruce	humidity 16-18%
40	150	6000	pine / spruce	humidity 16-18%
40	175	6000	pine / spruce	humidity 16-18%
40	200	6000	pine / spruce	humidity 16-18%
40	225	6000	pine / spruce	humidity 16-18%
50	100	4200	pine / spruce	humidity 16-18%
50	125	4200	pine / spruce	humidity 16-18%
50	150	4200	pine / spruce	humidity 16-18%
50	175	4200	pine / spruce	humidity 16-18%
50	200	4200	pine / spruce	humidity 16-18%
50	225	4200	pine / spruce	humidity 16-18%
50	100	6000	pine / spruce	humidity 16-18%
50	125	6000	pine / spruce	humidity 16-18%
50	150	6000	pine / spruce	humidity 16-18%

50	175	6000	pine / spruce	humidity 16-18%
50	200	6000	pine / spruce	humidity 16-18%
50	225	6000	pine / spruce	humidity 16-18%
75	100	6000	pine / spruce	humidity 16-18%
75	125	6000	pine / spruce	humidity 16-18%
75	150	6000	pine / spruce	humidity 16-18%
75	175	6000	pine / spruce	humidity 16-18%
75	200	6000	pine / spruce	humidity 16-18%
100	100	6000	pine / spruce	humidity 16-18%
125	125	6000	pine / spruce	humidity 16-18%
150	150	6000	pine / spruce	humidity 16-18%
175	175	6000	pine / spruce	humidity 16-18%
200	200	6000	pine / spruce	humidity 16-18%
75	100	6000	pine / spruce	humidity 16-18%
75	125	6000	pine / spruce	humidity 16-18%
75	150	6000	pine / spruce	humidity 16-18%
75	175	6000	pine / spruce	humidity 16-18%
75	200	6000	pine / spruce	humidity 16-18%
100	125	6000	pine / spruce	humidity 16-18%
100	150	6000	pine / spruce	humidity 16-18%
100	175	6000	pine / spruce	humidity 16-18%
100	200	6000	pine / spruce	humidity 16-18%
125	150	6000	pine / spruce	humidity 16-18%
125	175	6000	pine / spruce	humidity 16-18%
125	200	6000	pine / spruce	humidity 16-18%
150	175	6000	pine / spruce	humidity 16-18%
150	200	6000	pine / spruce	humidity 16-18%
175	200	6000	pine / spruce	humidity 16-18%

1. Quality: Quality of lumber must match with requirements of **ГОСТ 26002-83**.

including sawn timber, which are subject to repeated mechanical treatment-sawing in the size by section;

lumber with crooked edges-crooked one or more corners in relation to the plane or edge;or with rounded edges.

2. CLASS 1-3: Are not allowed -

- rot
- azure
- vivid tobacco branches, branches up to 35mm
- damages by insects
- deep cracks and fractures
- misshapen

3. CLASS 4-5: according to **ГОСТ 26002-83**

4. Humidity: 16-18%

5. Package: 1100 x 1100 mm in packages, gaskets 8-10 mm trough row at buyer's request, strapping with polyethylene tape.

6. Full truck is arround 40,5 m3

7. Delivery time: 14 days





